BELLlighting

LED Filament GLS

LED 4W Satin Dimmable Filament GLS - BC - 2700K

Part Code: 05286

The LED Filament Range combines LED technology with the elegance of Incandescent Lamps. Creating a welcoming atmosphere with a retro feel, our LED Filament Range offers smooth dimming on rotary and digital dimming systems. The Filament GLS is an all rounder for decorative applications due to the wide range of wattages we offer.

- LED Technology with the elegance of Incandescent Lamps
- Creates a welcoming atmosphere with retro feel
- Argon gas filled to improve life
- Smooth dimming on rotary and digital dimming systems
- Full glass envelope













Email: technical@belllighting.co.uk **Telephone:** 01924 893380

www.belllighting.co.uk

BELLlighting

LED Filament GLS



Product Category	Lamps / LED
Application	
Product Warranty	3 Years
EAN	5013588052861
Commodity Code	8539520000
Country of Origin	CN

Technical Specification		
Watts (W)	4	
Equivalent Watts (W)	40	
Volts (V)	240	
Colour Temp (K)	2700	
Lumens (lm)	450	
Lumens per Watt (lm/W)	113	
CRI (ra)	85	
Frequency (Hz)	50/60	
Energy Consumption (kWh/1000h)	4	
Life Hours	15000	
Switching Cycles	8000	
Energy Rating	E	

Packaging Information		
Height (mm)	102	
Diameter (mm)	60	
Single Carton Height (mm)	125	
Single Carton Width (mm)	65	
Single Carton Depth (mm)	65	
Single Carton Weight (kg)	0.05	
Individual Volume	0.00053	
Inner Box Qty	10	
Inner Carton Barcode	052860000010	
Inner Box Height (mm)	140	
Inner Box Width (mm)	340	
Inner Box Depth (mm)	140	
Inner Box Weight (kg)	0.65	
Inner Box Volume	0.00666	
Outer Box Qty	100	
Outer Carton Barcode	0528600000100	
Outer Box Height (mm)	675	
Outer Box Width (mm)	335	
Outer Box Depth (mm)	260	
Outer Box Weight (kg)	6.92	
Outer Box Volume	0.05879	

Email: technical@belllighting.co.uk **Telephone:** 01924 893380

www.belllighting.co.uk

BELLlighting

LED Filament GLS

Additional Information		
Beam Angle	300°	
Сар	BC	

Email: technical@belllighting.co.uk **Telephone:** 01924 893380

www.belllighting.co.uk

The information shown above was correct at time of publication. Please refer to our Terms & Conditions of Sale for further detail.