



Backlit High Output UGR<19 LED Panel

Arial Backlit 36W LED High Output UGR <19 600x600 White Panel - 4000K Part Code: 10140

The Arial Plus is our leading panel when it comes to performance. With a high lumen output of over 120 lumens per watt, this panel is ideal for areas that require high lux levels. The Arial Plus can be installed in areas where TPa rated lighting products are essential, such as emergency exit routes including stairways and corridors.

- · High efficiency
- TPa
- Uniform light distribution
- Professional LED Panel
- · Anti-twist frame











25,000 Switching Cycles









Email: technical@belllighting.co.uk **Telephone:** 01924 893380

www.belllighting.co.uk





Backlit High Output UGR<19 LED Panel



Product Category	Fittings / LED Panels
Application	
Product Warranty	7 Years
EAN	5013588101408
Commodity Code	9405423990
Country of Origin	CN

Technical Specification		
Watts (W)	36	
Volts (V)	220/240	
Colour Temp (K)	4000	
Lumens (lm)	3841	
Lumens per Watt (lm/W)	107	
CRI (ra)	80	
Frequency (Hz)	50/60	
Life Hours	50000	
Switching Cycles	25000	
IP Rating	IP20	

Packaging Information		
Height (mm)	595	
Width (mm)	595	
Depth (mm)	35	
Single Carton Height (mm)	655	
Single Carton Width (mm)	52	
Single Carton Depth (mm)	648	
Single Carton Weight (kg)	2.2	
Individual Volume	0.02207	
Inner Box Qty	1	
Outer Box Qty	6	
Outer Carton Barcode	101400000005	
Outer Box Height (mm)	675	
Outer Box Width (mm)	290	
Outer Box Depth (mm)	660	
Outer Box Volume	0.1292	

Email: technical@belllighting.co.uk **Telephone:** 01924 893380





Backlit High Output UGR<19 LED Panel

Accessories	
12107	LED 36W Driver for Arial Backlit Panels
12106	LED 20/26/30/36W Driver for the Arial Multi Backlit Panels
31156	LED 36W 1-10V/Dali Driver for the Arial 600x600 Panels
15137	Dali Driver Complete 600x600 Panel Ready

Email: technical@belllighting.co.uk **Telephone:** 01924 893380