# BELLlighting

## LED Filament GLS

### LED 4W Clear Filament GLS - BC - 4000K

#### Part Code: 60045

The LED Filament Range combines LED technology with the elegance of Incandescent Lamps. Creating a welcoming atmosphere with a retro feel, our LED Filament Range offers smooth dimming on rotary and digital dimming systems. The Filament GLS is an all rounder for decorative applications due to the wide range of wattages we offer.

- LED Technology with the elegance of Incandescent Lamps
- Creates a welcoming atmosphere with retro feel
- Argon gas filled to improve life
- Smooth dimming on rotary and digital dimming systems
- Full glass envelope













**Email:** technical@belllighting.co.uk **Telephone:** 01924 893380

#### www.belllighting.co.uk

# BELLlighting

## LED Filament GLS



Product Category	Lamps / LED
Application	
Product Warranty	3 Years
EAN	5013588600451
Commodity Code	8539520000
Country of Origin	CN

Technical Specification		
Watts (W)	4	
Equivalent Watts (W)	40	
Volts (V)	240	
Colour Temp (K)	4000	
Lumens (lm)	470	
Lumens per Watt (lm/W)	118	
CRI (ra)	85	
Frequency (Hz)	50/60	
Energy Consumption (kWh/1000h)	4	
Life Hours	15000	
Switching Cycles	8000	
Energy Rating	E	

Packaging Information		
Height (mm)	102	
Diameter (mm)	60	
Single Carton Height (mm)	125	
Single Carton Width (mm)	65	
Single Carton Depth (mm)	65	
Single Carton Weight (kg)	0.05	
Individual Volume	0.00053	
Inner Box Qty	10	
Inner Carton Barcode	6004500000010	
Inner Box Height (mm)	140	
Inner Box Width (mm)	340	
Inner Box Depth (mm)	140	
Inner Box Weight (kg)	0.65	
Inner Box Volume	0.00666	
Outer Box Qty	100	
Outer Carton Barcode	6004500000100	
Outer Box Height (mm)	675	
Outer Box Width (mm)	335	
Outer Box Depth (mm)	260	
Outer Box Weight (kg)	6.92	
Outer Box Volume	0.05879	

**Email:** technical@belllighting.co.uk **Telephone:** 01924 893380

#### www.belllighting.co.uk

# BELLlighting

### LED Filament GLS

Additional Information		
Beam Angle	300°	
Сар	BC	

**Email:** technical@belllighting.co.uk **Telephone:** 01924 893380

www.belllighting.co.uk

The information shown above was correct at time of publication. Please refer to our Terms & Conditions of Sale for further detail.