

Ultraendure

Wattage Switchable CCT Vandal Resistant Batten

Ultra Endure 25-60W LED CCT Anti-Ligature 5ft Black Batten Cornice in Emergency with Dali Dimming

Part Code: 70193

The Ultra Endure LED Batten is CCT and anti-ligature, available in both Black and White. Also available in emergency and with Dali Dimming.



7 Year
Guarantee




IP65
Rated



220/240
Volts



Wattage
Switchable



Wattage Switchable CCT Vandal Resistant Batten



Product Category Fittings / Fittings

Application

Product Warranty 7 Years

EAN 5013588701936

Commodity Code 9405423100

Country of Origin CN

Technical Specification

Watts (W)	25/33/41/55/60
Equivalent Watts (W)	40/54/66/90
Volts (V)	220/240
Colour Temp (K)	3000/4000/6000
Lumens (lm)	2880-7150
Lumens per Watt (lm/W)	115-119
Candelas (cd)	1130-2756
CRI (Ra)	80
Frequency (Hz)	50/60
LED Drive Current	188-450mA
Energy Consumption (kWh/1000h)	24-63
Life Hours	100000
Switching Cycles	300000
Energy Rating	D
IP Rating	IP65

Packaging Information

Height (mm)	120
Width (mm)	167
Length (mm)	1500
Inner Box Qty	1
Outer Box Qty	2



Wattage Switchable CCT Vandal Resistant Batten

Additional Information

Beam Angle

100°

Email: technical@belllighting.co.uk
Telephone: 01924 893380

www.belllighting.co.uk