

Skylinevirtus

Skyline Virtus 100/150/200W Wattage Switchable Asymmetric Floodlight - 5700K

Part Code: 70308

Designed and engineered in the UK specifically to meet the requirements for sports lighting and to reduce light pollution levels. The Skyline Virtus is a high specification floodlight, wattage switchable as standard with a 50,000 hour lifespan, 7 year warranty and 2 year on site warranty.

- Wattage Switchable
- Perfect for sports, building facade's, landscape, security & car park lighting
- Aerodynamic, streamlined design for reduced windage
- Air pressure equalisation feature to eliminate capillary effect
- Nichia GRT-V1 LED



7 Year
Guarantee



50,000
Life Hours



IP66
Rated



IK8
Rated



skylinevirtus



Product Category Fittings / LED Floodlights

Application Sports Lighting

Product Warranty 7 Years

EAN 5013588703084

Commodity Code 9405423990

Country of Origin CN

Technical Specification

Watts (W)	100/150/200
Equivalent Watts (W)	250-500
Volts (V)	110/240
Colour Temp (K)	5700
Lumens (lm)	15450-30300
CRI (ra)	80
Frequency (Hz)	50/60
LED Drive Current	139mA
Energy Consumption (kWh/1000h)	200
Life Hours	50000
Switching Cycles	100000
Energy Rating	D
Impact Protection	IK8
IP Rating	IP66

Packaging Information

Height (mm)	447
Width (mm)	359
Depth (mm)	75
Individual Product Weight (kg)	5.2
Single Carton Height (mm)	480
Single Carton Width (mm)	390
Single Carton Depth (mm)	115
Single Carton Weight (kg)	6.2
Individual Volume	0.021528
Outer Box Qty	1

Skylinevirtus

Additional Information

Power Factor	>0.9
LED Chip	Nichia GRT-V1

Accessories

11581	360° Visor for the 50/75/100W Skyline Virtus LED Floodlight
11583	360° Visor for the 100/150/200W Skyline Virtus LED Floodlight
11585	360° Visor for the 150/225/300W Skyline Virtus LED Floodlight